






RADIONUCLIDES**VOLATILE ORGANIC COMPOUNDS****SEMI-VOLATILE ORGANIC COMPOUNDS NO DATA AVAILABLE**

LABORATORY QUALIFIER FLAGS in HEIS are *, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value; L=Value between IDL and CRQL (estimated); T=Tentatively identified compound;
EPA-IGR=EPA-Implementation Guidance for Radionuclides; WAC=Washington Administrative Code;

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit; THIN BARS=Value Below Detection Limit; HATCHED BARS=Value With Data Qualifier Flag




WELLNAME=75-D WELLID=B8373

Well Type=STANDARD Well purpose=AQUIFER TUBE
Owner=DOE ContactPeterson, Roger Compliance=VARIANCE
X_coor= 582793.50 Y_coor= 145284.00 Datum=NAD83(91) Date Survey= 12/8/1997
Well_Comment= BHI-01153

DOE HANFORD SITE - GROUNDWATER QUALITY DATA PLOTS


wellseries-0-99 WELL#=75-D

METALS & PHYSICAL PARAMETERS



PEST/PCB, HERB, & DIOXINS NO DATA AVAILABLE

GENCHEM & ORGANICS & GENORGANICS



LABORATORY QUALIFIER FLAGS in HEIS are *:, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value:L=Value between IDL and CRQL (estimated):T=Tentatively identified compound:
EPA-IGR=EPA-Implementation Guidance for Radionuclides: WAC=Washington Administrative Code:

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit:THIN BARS=Value Below Detection Limit:HATCHED BARS=Value With Data Qualifier Flag